

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	176	713/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L2	10	L1 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L3	141	L1 and \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L4	8	L3 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L5	89	L1 and \$crypt\$4 and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L6	5	L5 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L7	14	L1 and \$crypt\$4 and processor and session near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L8	1	L7 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L9	176	713/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L10	10	L9 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15

L11	14	L9 and \$crypt\$4 and processor and session near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L12	1	L11 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L13	1690	714/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L14	13	L13 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L15	47	L13 and \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L16	0	L15 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L17	15	COUILLARD near BRUNO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 07:15
L18	1	L17 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:17
L19	531	time adj2 stamp and \$crypt\$4 and processor and session near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 07:15
L20	11	L19 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15

L21	297	time adj2 stamp same \$crypt\$4 and processor and session near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 07:15
L22	6	L21 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L23	297	time adj2 stamp same \$crypt\$4 and processor and session near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 07:15
L24	6	L23 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L25	176	713/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L26	10	L25 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L27	147	encrypt\$4 and test same time adj2 stamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:15
L28	2	L27 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:16
L29	120	test near key and time adj2 stamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:16
L30	1	L29 and @ad<"20010802" and @pd>"20050718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 07:16

S38	1499	multi\$4 with mode with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:49
S39	75	multi\$4 with mode with (single one) near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:51
S40	1	S39 same (timestamp\$4 (time adj stamp\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:53
S41	18	multi\$4 near mode with (single one) near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:52
S42	17	test\$4 near mode with (single one) near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:56
S43	57	test\$4 near mode with work\$4 near mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:58
S44	7	S43 same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:59
S45	1	test\$4 near mode with encrypt\$4 near mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:59
S46	77	test\$4 near mode same (encrypt\$4 work\$4) near mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:59
S47	7	S46 same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:59

S48	79	test\$4 near mode same (encrypt\$4 work\$4 timestamp\$4) near mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:00
S49	2	test\$4 near mode same timestamp\$4 near mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:03
S50	683	real with test\$4 with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:02
S51	2	S50 same (timestamp\$4 encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:02
S52	6917	test\$4 near mode same operat\$6 near mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:03
S53	0	S52 same (encrpt\$4 timestamp\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:04
S54	12	S52 same (encrypt\$4 timestamp\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:04
S55	0	test near key same ((time adj stamp\$4) timestamp\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:15
S56	30	test with key same ((time adj stamp\$4) timestamp\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:19
S57	348	test with key with "same"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:19

S58	3	S57 same ((time adj stamp\$4) timestamp\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:19
S59	24	S57 same \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:24
S60	34	S57 and ("713".clas. "380".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:32
S61	202	"same" with key with different with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 06:46
S62	146	S61 and @ad<"20010802"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 06:47
S63	31	S61 and ("380".clas. "713".clas. "714".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 06:53
S64	595	test\$4 with "same" with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 06:58
S65	86	S64 and ("380".clas. "713".clas. "714".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 07:11
S66	46	test\$4 near3 mode with "same" with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 07:04
S67	3	key with "same" with value same (normal operat\$6 encrypt\$4 work\$4) near3 mode with test\$4 near3 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 07:07

S68	3	key with "same" with value same (normal operat\$6 encrypt\$4 work\$4 timestamp\$4 (time adj stamp\$4)) near3 mode with test\$4 near3 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 07:08
S69	16	key with "same" same (normal operat\$6 encrypt\$4 work\$4 timestamp\$4 (time adj stamp\$4)) near3 mode with test\$4 near3 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 07:10
S70	12725	(normal operat\$6 encrypt\$4 work\$4 timestamp\$4 (time adj stamp\$4)) near3 mode with test\$4 near3 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 07:10
S71	220	S70 with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 07:10
S72	25	S71 and ("380".clas. "713".clas. "714".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 07:11
S73	1	("6457126").PN.	US-PGPUB; USPAT	OR	OFF	2005/12/07 07:24
S74	1	S73 and test adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 07:25